

PERIMENO QUÊ?

REFERÊNCIAS
BIBLIOGRÁFICAS

- AMSTERDAM, J. D. et al. *Randomized, double-blind, placebo-controlled trial of Cimicifuga racemosa (black cohosh) in women with anxiety disorder due to menopause*. Journal of Clinical Psychopharmacology, v. 29, n. 5, p. 478-483, 2009. Disponível em: <https://pmc.ncbi.nlm.nih.gov/articles/PMC3600411/>.
- ANSARI, S. et al. *The effect of hypericum perforatum on postmenopausal symptoms and depression: A randomized controlled trial*. Complementary Therapies in Medicine, v. 45, p. 109-113, ago. 2019. Disponível em: <https://doi.org/10.1016/j.ctim.2019.05.028>.
- AZAM, S. et al. *Hormone replacement therapy and mammographic density: A systematic literature review*. Breast Cancer Research and Treatment, v. 182, n. 3, p. 555-579, jun. 2020. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/32572713/>.
- BÉRIN, E. et al. *Effects of resistance training on quality of life in postmenopausal women with vasomotor symptoms*. Climacteric, v. 25, n. 3, p. 264-270, jun. 2022. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/34240669/>.
- BÉRIN, E. et al. *Resistance training for hot flushes in postmenopausal women: A randomised controlled trial*. Maturitas, v. 85, p. 96-103, mar. 2016. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/26857887/>.
- BOMMER, S.; KLEIN, P.; SUTER, A. *First time proof of sage's tolerability and efficacy in menopausal women with hot flushes*. Advances in Therapy, v. 28, n. 6, p. 490-500, 2011. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/21630133/>.
- BRIESE, V. et al. *Black cohosh with or without St. John's wort for symptom-specific climacteric treatment – Results of a large-scale, controlled, observational study*. Maturitas, v. 57, n. 4, p. 405-414, ago. 2007. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/17590291/>.
- CAGNACCI, A.; VENIER, M. *The controversial history of hormone replacement therapy*. Medicina, v. 55, n. 9,

- set. 2019. Disponível em: <https://www.mdpi.com/1648-9144/55/9/602>.
- CASTELLANI, D. et al. *Low-Dose Intravaginal Estriol and Pelvic Floor Rehabilitation in Post-Menopausal Stress Urinary Incontinence*. *Urologia Internationalis*, v. 95, n. 4, p. 417-421, 2015. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/26043913/>.
- CHAIKITTISILPA, S. et al. *Efficacy of oral estrogen plus testosterone gel to improve sexual function in postmenopausal women*. *Climacteric*, v. 22, n. 5, p. 460-465, 2019. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/30810382/>.
- CHEN, F.-P.; CHIEN, M.-H. *Phytoestrogens induce apoptosis through a mitochondria/caspase pathway in human breast cancer cells*. *Climacteric*, v. 17, n. 4, p. 385-392, 2014. Disponível em: <https://doi.org/10.3109/13697137.2013.869671>.
- CHEN, H.-C. et al. *Hormone replacement therapy decreases the risk of tinnitus in menopausal women: a nationwide study*. *Women's Health*, v. 14, p. 1-8, fev. 2018. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/29731984/>.
- CHLEBOWSKI, R. T. *Vitamin D and breast cancer incidence and outcome*. *Anti-Cancer Agents in Medicinal Chemistry*, v. 13, n. 1, p. 98-106, 2013. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/23094925/>.
- CHOJNACKI, C. et al. *Effects of fluoxetine and melatonin on mood, sleep quality and body mass index in postmenopausal women*. *Journal of Physiology and Pharmacology: An Official Journal of the Polish Physiological Society*, v. 66, n. 5, p. 665-671, 2015. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/26579572/>.
- COBIN, R. H.; GOODMAN, N. F. *American Association of Clinical Endocrinologists and American College of Endocrinology Position Statement on Menopause-2017 Update*. *Endocrine Practice: Official Journal of the American College of Endocrinology and the American Association of Clini-*

- cal Endocrinologists, v. 23, n. 7, p. 869-880, 2017. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/28703650/>.
- DADFAR, F.; BAMDAD, K. *The effect of saliva officinalis extract on the menopausal symptoms in postmenopausal women: An RCT*. International Journal of Reproductive, v. 17, n. 4, p. 265-270, 2019. Disponível em: <https://doi.org/10.18502/ijrm.v17i4.4555>.
- DAVIS, S. R. et al. *Understanding weight gain at menopause*. Climacteric, v. 15, n. 5, p. 419-429, out. 2012. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/22978257/>.
- DAVIS, S. R. et al. *Global consensus position statement on the use of testosterone therapy for women*. The Journal of Clinical Endocrinology and Metabolism, v. 104, n. 10, p. 4660-4666, out. 2019. Disponível em: <https://doi.org/10.1210/jc.2019-01603>.
- DEECHER, D. C.; DORRIES, K. *Understanding the pathophysiology of vasomotor symptoms (hot flushes and night sweats) that occur in perimenopause, menopause, and postmenopause life stages*. Arch Womens Ment Health, v. 10, n. 6, p. 247-257, 2007. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/18074100/>.
- DE SOUZA, K. Z. D.; VALE, F. B. C.; GEBER, S. *Efficacy of tribulus terrestris for the treatment of hypoactive sexual desire disorder in postmenopausal women: A randomized, double-blinded, placebo-controlled trial*. Menopause (Nova York, N. Y.), v. 23, n. 11, p. 1252-1256, nov. 2016. Disponível em: <https://doi.org/10.1097/GME.0000000000000766>.
- DELGADO, B. J.; LOPEZ-OJEDA, W. *Estrogen*. In: StatPearls. StatPearls Publishing, 2023. Disponível em: <http://www.ncbi.nlm.nih.gov/books/NBK538260/>.
- DEPYPERE, H. et al. *A randomized trial on the effect of oral combined estradiol and drospirenone on glucose and insulin metabolism in healthy menopausal women with a normal oral glucose tolerance test*. Maturitas, v. 138, p. 36-

-41, ago. 2020. Disponível em: <https://doi.org/10.1016/j.maturitas.2020.04.009>.

DIEM, S. J. et al. *Effects of pharmacologic and nonpharmacologic interventions on menopause-related quality of life: A pooled analysis of individual participant data from four MsFLASH trials*. *Menopause*, v. 27, n. 10, p. 1126-1136, out. 2020. Disponível em: <https://doi.org/10.1097/GME.0000000000001597>.

DONGRE, S.; LANGADE, D.; BHATTACHARYYA, S. *Efficacy and safety of ashwagandha (Withania somnifera) root extract in improving sexual function in women: A pilot study*. *BioMed Research International*, v. 2015, ID 284154, p. 1-6, 2015. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/26504795/>.

DORMIRE, S.; HOWHARN, C. *The effect of dietary intake on hot flashes in menopausal women*. *Journal of Obstetric, Gynecologic, and Neonatal Nursing: JOGNN/NAACOG*, v. 36, n. 3, p. 255-262, maio-jun. 2007. Disponível em: <https://doi.org/10.1111/j.1552-6909.2007.00142.x>.

FAIT, T. *Menopause hormone therapy: Latest developments and clinical practice*. *Drugs in Context*, v. 8, p. 1-10, jan. 2019. Disponível em: <https://www.drugsincontext.com/menopause-hormone-therapy-latest-developments-and-clinical-practice/>.

FALK, R. T. et al. *Estrogen metabolism in menopausal hormone users in the women's health initiative observational study: Does it differ between estrogen plus progestin and estrogen alone?* *International Journal of Cancer*, v. 144, n. 4, p. 730-740, set. 2018. Disponível em: <https://doi.org/10.1002/ijc.31851>.

FERNANDES, T. et al. *Hormonal, metabolic, and endometrial safety of testosterone vaginal cream versus estrogens for the treatment of vulvovaginal atrophy in postmenopausal women: A randomized, placebo-controlled study*. *Menopause*, v. 25, n. 6, p. 641-647, jun. 2018. Disponível em: <https://doi.org/10.1097/GME.0000000000001059>.

- FITZGERALD, S. P. et al. *Clinical parameters are more likely to be associated with thyroid hormone levels than with thyrotropin levels: a systematic review and meta-analysis*. *Thyroid*, v. 30, n. 8, p. 1165-1175, 2020. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/32349628/>.
- FRITZ, H. et al. *Black cohosh and breast cancer: A systematic review*. *Integrative Cancer Therapies*, v. 13, n. 1, p. 12-29, fev. 2025. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/23439657/>.
- GAJARAWALA, S. N.; WOOD, T. A.; STANTON, A. P. *What is the role of dehydroepiandrosterone in gynecologic practice?* *Journal of the American Academy of Physician Assistants*, v. 32, n. 12, p. 11-12, dez. 2019. Disponível em: <https://doi.org/10.1097/01.JAA.0000604888.50734.64>.
- GAZARRA, L. B. C. et al. *Bone mass in women with premature ovarian insufficiency: A comparative study between hormone therapy and combined oral contraceptives*. *Menopause*, v. 27, n. 10, p. 1110-1116, out. 2020. Disponível em: <https://doi.org/10.1097/GME.0000000000001592>.
- GEORGAKIS, M. K. et al. *Surgical menopause in association with cognitive function and risk of dementia: A systematic review and meta-analysis*. *Psychoneuroendocrinology*, v. 106, p. 9-19, 2019. Disponível em: <https://www.sciencedirect.com/science/article/abs/pii/S030645301830495X>.
- GEORGAKIS, M. K. et al. *Age at menopause and duration of reproductive period in association with dementia and cognitive function: A systematic review and meta-analysis*. *Psychoneuroendocrinology*, v. 73, p. 224-243, nov. 2016. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/27543884/>.
- GERVAIS, N. J. et al. *Cognitive markers of dementia risk in middle-aged women with bilateral salpingo-oophorectomy prior to menopause*. *Neurobiology of Aging*, v. 94, p. 1-6, 2020. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/32497876/>.

- GHORBANI, Z. et al. *The effect of ginseng on sexual dysfunction in menopausal women: A double-blind, randomized, controlled trial*. *Complementary Therapies in Medicine*, v. 45, p. 57-64, 2019. Disponível em: <https://www.sciencedirect.com/science/article/pii/S096522991930061X>.
- GOMPEL, A. *Progesterone, progestins and the endometrium in perimenopause and in menopausal hormone therapy*. *Climacteric*, v. 21, n. 4, p. 321-325, ago. 2018. Disponível em: <https://www.tandfonline.com/doi/full/10.1080/13697137.2018.1469598>.
- GUERRIERI, G. M. et al. *Effects of physiologic testosterone therapy on quality of life, self-esteem, and mood in women with primary ovarian insufficiency*. *Menopause (Nova York, N. Y.)*, v. 21, n. 9, p. 952-961, set. 2014. Disponível em: <https://doi.org/10.1097/GME.000000000000195>.
- HENDERSON, V. W. et al. *Cognitive effects of estradiol after menopause: A randomized trial of the timing hypothesis*. *Neurology*, v. 87, n. 7, p. 699-708, ago. 2016. Disponível em: <https://doi.org/10.1212/WNL.0000000000002980>.
- HEUCH, I. et al. *Does the risk of chronic low back pain depend on age at menarche or menopause? A population-based cross-sectional and cohort study*. *BMJ Open*, v. 12, n. 2, fev. 2022. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/35210341/>.
- HIRAYAMA, F.; LEE, A. H. *Green tea drinking is inversely associated with urinary incontinence in middle-aged and older women*. *Neurourology and Urodynamics*, v. 30, n. 7, p. 1262-1265, set. 2011. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/21404319/>.
- HUANG, G. et al. *Effects of testosterone administration on cognitive function in hysterectomized women with low testosterone levels: A dose-response randomized trial*. *Journal of Endocrinological Investigation*, v. 38, n. 4, p. 455-461, nov. 2014. Disponível em: <https://doi.org/10.1007/s40618-014-0213-3>.

- INARAJA, V. et al. *Lipid profile changes during the menopausal transition*. Menopause (Nova York, N. Y.), v. 27, n. 7, p. 780-787, jul. 2020. Disponível em: <https://doi.org/10.1097/GME.0000000000001532>.
- JENABI, E. et al. *The effect of valerian on the severity and frequency of hot flashes: A triple-blind randomized clinical trial*. Women & Health, v. 57, n. 3, p. 297-304, mar. 2018. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/28278010/>.
- JEWSON, M.; PUROHIT, P.; LUMSDEN, M. A. *Progesterone and abnormal uterine bleeding/menstrual disorders*. Best Practice & Research. Clinical Obstetrics & Gynaecology, v. 69, p. 62-73, nov. 2020. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/32698992/>.
- JIANG, K. et al. *Black cohosh improves objective sleep in postmenopausal women with sleep disturbance*. Climacteric: The Journal of the International Menopause Society, v. 18, n. 4, p. 559-567, 2015. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/26000551/>.
- KARIM, R. et al. *Impact of reproductive history and exogenous hormone use on cognitive function in midlife and late life*. Journal of the American Geriatrics Society, v. 64, n. 12, p. 2448-2456, nov. 2016. Disponível em: <https://pmc.ncbi.nlm.nih.gov/articles/PMC5180359/>.
- KASE, N. G.; FRIEDMAN, E. G.; BRODMAN, M. *The midlife transition and the risk of cardiovascular disease and cancer Part II: strategies to maximize quality of life and limit dysfunction and disease*. American Journal of Obstetrics and Gynecology, v. 223, n. 6, p. 834-847, dez. 2020. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/32533929/>.
- KILIC, M. K. et al. *Hypovitaminosis D is an independent associated factor of overactive bladder in older adults*. Archives of Gerontology and Geriatrics, v. 65, p. 128-132, jul.-ago. 2016. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/27018570/>.

- KOBATA, S. A. et al. *Estrogen therapy influence on periurethral vessels in postmenopausal incontinent women using Dopplervelocimetry analysis*. Maturitas, v. 61, n. 3, p. 243-247, 2008. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/18845407/>.
- LANGER, R. D. et al. *Transvaginal ultrasonography compared with endometrial biopsy for the detection of endometrial disease*. The New England Journal of Medicine, v. 337, n. 25, p. 1792-1798, dez. 1997. Disponível em: <https://www.nejm.org/doi/full/10.1056/NEJM199712183372502>.
- LARMO, P. S. et al. *Effects of sea buckthorn oil intake on vaginal atrophy in postmenopausal women: A randomized, double-blind, placebo-controlled study*. Maturitas, v. 79, n. 3, p. 316-321, nov. 2014. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/25104582/>.
- LEACH, M. J.; MOORE, V. *Black cohosh (cimicifuga spp.) for menopausal symptoms*. The Cochrane Database of Systematic Reviews, n. 9, CD007244, set. 2012. Disponível em: <https://doi.org/10.1002/14651858.CD007244.pub2>.
- LIU, T. et al. *Effects of exercise on vasomotor symptoms in menopausal women: a systematic review and meta-analysis*. Climacteric, v. 25, n. 6, p. 552-561, dez. 2022. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/35904028/>.
- LOCK, M. *Menopause in cultural context*. Exp Gerontol, v. 29, n. 3-4, p. 307-317, maio-ago. 1994. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/7925751/>.
- LU, C.-B. et al. *Musculoskeletal Pain during the Menopausal Transition: A Systematic Review and Meta-Analysis*. Neural Plast., 25 nov. 2020. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/33299396/>.
- LUNDSTROM, E. et al. *Progestogen addition with low-dose levonorgestrel intrauterine system in menopausal hormone treatment gives less normal breast tissue proliferation than oral norethisterone acetate or medroxyprogesterone acetate*. Hormone Molecular Biology and Clinical In-

- vestigation, v. 41, n. 3, jul. 2020. Disponível em: <https://www.degruyterbrill.com/document/doi/10.1515/hmb-ci-2019-0051/html>.
- MACGREGOR, E. A. *Oestrogen and attacks of migraine with and without aura*. *Lancet Neurol*, v. 3, n. 6, p. 354-361, 2004. Disponível em: https://academic.oup.com/painmedicine/article/21/Supplement_1/S19/5858066.
- MACLENNAN, A. H. *HRT in difficult circumstances: Are there any absolute contraindications?* *Climacteric*, v. 14, n. 4, p. 409-417, fev. 2011. Disponível em: <https://doi.org/10.3109/13697137.2010.543496>.
- MALTAIS, M. L.; DESROCHES, J.; DIONNE, I. J. *Changes in muscle mass and strength after menopause*. *J Musculoskelet Neuronal Interact.*, v. 9, n. 4, out.-dez. 2009. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/19949277/>.
- MANSON, J. E. et al. *The Women's Health Initiative trials of menopausal hormone therapy: Lessons learned*. *Menopause (Nova York, N. Y.)*, v. 27, n. 8, p. 918-928, 2020. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/32345788/>.
- MANSON, J. E.; KAUNITZ, A. M. *Menopause management – Getting clinical care back on track*. *The New England Journal of Medicine*, v. 374, n. 9, p. 803-806, mar. 2016. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/26962899/>.
- MARTIN, V. T. et al. *Defining the relationship between ovarian hormones and migraine headache*. *Headache: The Journal of Head and Face Pain*, v. 45, n. 8, p. 1024-1037, 2005. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/16178949/>.
- MISHRA, S. R. et al. *Duration of oestrogen exposure during reproductive years, age at menarche and age at menopause, and risk of cardiovascular disease events, all-cause and cardiovascular mortality: A systematic review and meta-analysis*. *BJOG: An International Journal of Obstetrics and Gynaecology*, v. 128, n. 5, p. 809-821, set. 2020.

Disponível em: <https://obgyn.onlinelibrary.wiley.com/doi/full/10.1111/1471-0528.16524>.

MUDHUNE, G. H.; ARMOUR, M.; MCBRIDE, K. A. *Safety of menopausal hormone therapy in breast cancer survivors older than fifty at diagnosis: A systematic review and meta-analysis*. Breast (Edimburgo, Escócia), v. 47, p. 43-55, out. 2019. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/31344603/>.

MURINA, F. et al. *Coital pain in the elderly: Could a low dose estriol gel thrill the vulvar vestibule?* European Journal of Obstetrics, Gynecology, and Reproductive Biology, v. 207, p. 121-124, dez. 2016. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/27838536/>.

NAFTOLIN, F. et al. *Cardiovascular health and the menopausal woman: The role of estrogen and when to begin and end hormone treatment*. F1000Research, v. 8, p. 1761, 2019. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/31543950/>.

NOMURA, S. J. O. et al. *Dietary intake of soy and cruciferous vegetables and treatment-related symptoms in Chinese-American and non-Hispanic White breast cancer survivors*. Breast Cancer Research and Treatment, v. 168, n. 2, p. 467-479, abr. 2018. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/29230660/>.

NORTH AMERICAN MENOPAUSE SOCIETY. *The 2022 hormone therapy position statement of The North American Menopause Society*. Menopause, v. 29, n. 7, p. 767-794, 2022. Disponível em: <https://menopause.org/wp-content/uploads/professional/nams-2022-hormone-therapy-position-statement.pdf>.

NORTH AMERICAN MENOPAUSE SOCIETY. *The role of local vaginal estrogen for treatment of vaginal atrophy in postmenopausal women: 2007 position statement of The North American Menopause Society*. Menopause (Nova York, N. Y.), v. 14, n. 3, p. 357-369, maio 2007. Disponível em: <https://doi.org/10.1097/gme.0bo13e31805170eb>.

- OBERG, J. et al. *High dose vitamin D may improve lower urinary tract symptoms in postmenopausal women*. The Journal of Steroid Biochemistry and Molecular Biology, v. 173, p. 28-32, out. 2017. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/28323043/>.
- OKANO, H. et al. *Japan Society of Obstetrics and Gynecology and Japan Society for Menopause and Women's Health 2017 guidelines for hormone replacement therapy*. The Journal of Obstetrics and Gynaecology Research, v. 44, n. 8, p. 1355-1368, ago. 2018. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/29957860/>.
- PALACIOS, S. et al. *Omega-3 versus isoflavones in the control of vasomotor symptoms in postmenopausal women*. Gynecological Endocrinology: The Official Journal of the International Society of Gynecological Endocrinology, v. 33, n. 12, p. 951-957, dez. 2017. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/28562117/>.
- PANJARI, M.; DAVIS, S. R. *DHEA for postmenopausal women: A review of the evidence*. Maturitas, v. 66, n. 2, p. 172-179, jun. 2010. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/20089375/>.
- PINKERTON, J. V. et al. *Workshop on normal reference ranges for estradiol in postmenopausal women: Commentary from The North American Menopause Society on low-dose vaginal estrogen therapy labeling*. Menopause (Nova York, N. Y.), v. 27, n. 6, p. 611-613, jun. 2020. Disponível em: <https://doi.org/10.1097/GME.0000000000001576>.
- PKHALADZE, L. et al. *Actaea racemosa L. is more effective in combination with Rhodiola rosea L. for relief of menopausal symptoms: A randomized, double-blind, placebo-controlled study*. Pharmaceuticals (Basel, Suíça), v. 13, n. 5, p. 1-13, maio 2020. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/32455817/>.
- RAPAPORT, L. *Culture may influence how women experience menopause*. Reuters, 5 jun. 2015. Disponível em: <https://>

- www.reuters.com/article/us-health-menopause-perceptions/culture-may-%20inf%20luence-how-women-experience-menopause-idUSKBN0OL1XH20150605/.
- ROBINSON, D.; CARDOZO, L. D. *The role of estrogens in female lower urinary tract dysfunction*. *Urology*, v. 62, n. 4, p. 45-51, out. 2003. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/14550837/>.
- RODRIGUES, M. A. H.; GOMPEL, A. *Micronized progesterone, progestins, and menopause hormone therapy*. *Women & Health*, v. 61, n. 1, p. 3-14, set. 2020. Disponível em: <https://doi.org/10.1080/03630242.2020.1824956>.
- ROTOLO, O. et al. *Women in LOVE: Lacto-Ovo-Vegetarian diet rich in omega-3 improves vasomotor symptoms in postmenopausal women. An exploratory randomized controlled trial*. *Endocrine, Metabolic & Immune Disorders Drug Targets*, v. 19, n. 8, p. 1232-1239, 2019. Disponível em: <https://doi.org/10.2174/1871530319666190528101532>.
- RUAN, X.; MUECK, A. O. *The choice of progestogen for HRT in menopausal women: Breast cancer risk is a major issue*. *Hormone Molecular Biology and Clinical Investigation*, v. 37, n. 1, 2018. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/30120909/>.
- RUAN, X. et al. *Benefit–risk profile of black cohosh (isopropanolic Cimicifuga racemosa extract) with and without St John’s wort in breast cancer patients*. *Climacteric*, v. 22, n. 4, p. 339-347, jan. 2019. Disponível em: <https://www.tandfonline.com/doi/full/10.1080/13697137.2018.1551346>.
- SALPETER, S. R. et al. *Mortality associated with hormone replacement therapy in younger and older women: a meta-analysis*. *J Gen Intern Med*, v. 19, n. 7, p. 791-804, jul. 2004. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/15209595/>.
- SAMSON, M. et al. *Progestin and breast cancer risk: A systematic review*. *Breast Cancer Research and Treatment*,

- v. 155, n. 1, p. 3-12, 2016. Disponível em: <https://doi.org/10.1007/s10549-015-3663-1>.
- SANTEN, R. J. et al. *Postmenopausal hormone therapy: An endocrine society scientific statement*. The Journal of Clinical Endocrinology and Metabolism, v. 95, n. 7, p. s1-s66, jul. 2010. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/20566620/>.
- SERATI, M. et al. *A comparison between vaginal estrogen and vaginal hyaluronic for the treatment of dyspareunia in women using hormonal contraceptive*. European Journal of Obstetrics, Gynecology, and Reproductive Biology, v. 191, p. 48-50, ago. 2015. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/26070127/>.
- SHARIF, S. N.; DARSAREH, F. *Effect of royal jelly on menopausal symptoms: A randomized placebo-controlled clinical trial*. Complementary Therapies in Clinical Practice, v. 37, p. 47-50, nov. 2019. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/31470366/>.
- SHIEH, A. et al. *Estradiol and follicle-stimulating hormone as predictors of onset of menopause transition-related bone loss in pre- and perimenopausal women*. Journal of Bone and Mineral Research: The Official Journal of the American Society for Bone and Mineral Research, v. 34, n. 12, p. 2246-2253, 2019. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/31442329/>.
- SILVA, S. B. da. *Vitamin D deficiency or insufficiency is associated with lower urinary tract symptoms*. Int Braz J Urol., v. 48, p. 326-327, mar.-abr. 2022. Disponível em: <https://www.scielo.br/j/ibju/a/S8NKySvtHLxb5dKRST5nWqr/>.
- SMITH-RYAN, A. E. *Creatine in women's health: bridging the gap from menstruation through pregnancy to menopause*. J Int Soc Sports Nutr., v. 22, n. 1, maio 2025. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/40371844/>.
- SRIPRASERT, I. et al. *Effects of estradiol dose and serum estradiol levels on metabolic measures in early and late*

postmenopausal women in the REPLENISH Trial. Journal of Women's Health (2002), v. 29, n. 8, p. 1109-1118, 2020. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/32644875/>.

STUTE, P. *Is breast cancer risk the same for all progestogens?* Archives of Gynecology and Obstetrics, v. 290, n. 2, p. 207-209, ago. 2014. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/24838289/>.

STUTE, P.; NEULEN, J.; WILDT, L. *The impact of micronized progesterone on the endometrium: A systematic review*. Climacteric: The Journal of the International Menopause Society, v. 19, n. 4, p. 316-328, ago. 2016. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/27277331/>.

STUTE, P. et al. *Management of depressive symptoms in peri- and postmenopausal women: EMAS position statement*. Maturitas, v. 131, p. 91-101, jan. 2020. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/31740049/>.

SUDIRMAN, J. et al. *The analysis estradiol levels against sexual desire in perimenopause women in Makassar, South Sulawesi, Indonesia*. Enfermeria Clinica, v. 30, n. S2, p. 350-353, mar. 2020. Disponível em: <https://doi.org/10.1016/j.enfcli.2019.07.117>.

TANMAHASAMUT, P. et al. *Effect of estradiol vaginal gel on vaginal atrophy in postmenopausal women: A randomized double-blind controlled trial*. The Journal of Obstetrics and Gynaecology Research, v. 46, n. 8, p. 1425-1435, jul. 2020. Disponível em: <https://doi.org/10.1111/jog.14336>.

TEMPFER, C. B. et al. *Menopausal Hormone Therapy and risk of endometrial cancer: A systematic review*. Cancers, v. 12, n. 8, 2020. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/32781573/>.

THOMAS, R. et al. *A double-blind, placebo-controlled randomised trial evaluating the effect of a polyphenol-rich whole food supplement on PSA progression in men with prostate cancer – The U.K. NCRN Pomi-T study*. Prostate

- Cancer and Prostatic Diseases, v. 17, n. 2, p. 180-186, mar. 2014. Disponível em: <https://www.nature.com/articles/pcan20146>.
- TRANCHE, S. et al. *Impact of a soy drink on climacteric symptoms: An open-label, crossover, randomized clinical trial*. Gynecological Endocrinology: The Official Journal of the International Menopause Society, v. 32, n. 6, p. 477-482, jun. 2016. Disponível em: <https://www.tandfonline.com/doi/full/10.3109/09513590.2016.1154567>.
- TRUSS, M. C. et al. *Initial clinical experience with the selective phosphodiesterase-I isoenzyme inhibitor vinpocetine in the treatment of urge incontinence and low compliance bladder*. World Journal of Urology, v. 18, n. 6, p. 439-443, dez. 2000. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/11204266/>.
- TSAI, H.-W. et al. *Low-dose add-back therapy during postoperative GnRH agonist treatment*. Taiwanese Journal of Obstetrics & Gynecology, v. 55, n. 1, p. 55-59, fev. 2016. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/26927249/>.
- TSILIGIANNIS, S. et al. *Efficacy and safety of a low-dose continuous combined hormone replacement therapy with 0.5 mg 17 β -estradiol and 2.5 mg dydrogesterone in subgroups of postmenopausal women with vasomotor symptoms*. Maturitas, v. 139, p. 20-26, set. 2020. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/32747036/>.
- TUNGMUNSAKULCHAI, R. et al. *Effectiveness of a low dose testosterone undecanoate to improve sexual function in postmenopausal women*. BMC Women's Health, v. 15, p. 113, dez. 2015. Disponível em: <https://bmcwomenshealth.biomedcentral.com/articles/10.1186/s12905-015-0270-6>.
- VALE, F. B. C. et al. *Efficacy of Tribulus Terrestris for the treatment of premenopausal women with hypoactive sexual desire disorder: A randomized double-blinded, placebo-controlled trial*. Gynecological Endocrinology: The

Official Journal of the International Menopause Society, v. 34, n. 5, p. 442-445, 2018. Disponível em: <https://doi.org/10.1080/09513590.2017.1409711>.

WILSON, R. A. *Feminine forever*. Nova York: M. Evans, 1966.

WING, R. R. et al. *Weight gain at the time of menopause*. Arch Intern Med, v. 151, n. 1, p. 97-102, jan. 1991. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/1985614/>.

YU, X. et al. *Hormone replacement therapy and breast cancer survival: A systematic review and metaanalysis of observational studies*. Breast Cancer (Tóquio, Japão), v. 24, n. 5, p. 643-657, set. 2017. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/28601917/>.

ZEIDABADI, A. et al. *The effect of Salvia officinalis extract on symptoms of flushing, night sweat, sleep disorders, and score of forgetfulness in postmenopausal women*. Journal of Family Medicine and Primary Care, v. 9, n. 2, p. 1086-1092, fev. 2020. Disponível em: <https://pubmed.ncbi.nlm.nih.gov/32318472/>.